

# United Healthcare VBP Measures – 2020

Medicare Lines of Business

Code (Weight)	Measure	Description	4 STAR	5 STAR
<b>BCS (1)</b>	Breast Cancer Screening	Percentage of female members ages 50–74 who had a mammogram screening in the past 2 years.	76%	82%
<b>COL (1)</b>	Colorectal Cancer Screening	Percentage of members ages 50–75 who had one or more appropriate screenings for colorectal cancer. <b>FOBT:</b> Current calendar year <b>FIT-DNA:</b> Current calendar year or two years prior <b>Flex Sig:</b> Current calendar year to previous 4 calendar years <b>Colonoscopy:</b> Current calendar year to previous 9 calendar years	75%	83%
<b>CDCEYE (1)</b>	Comprehensive Diabetes Care: Eye Exam (Retinal)	Percentage of members 18-75 years of age with diabetes who had eye exam (retinal or dilated) performed.	79%	85%
<b>CDCNEP (1)</b>	Diabetes Care - Kidney Disease Monitoring	Percentage of members 18-75 years of age with diabetes who had urine microalbumin for nephropathy, OR on an ACE/ARB Medication OR documentation of receiving care from a nephrologist.	96%	98%
<b>CDCA1C9 (3)</b>	Diabetes Care - Blood Sugar Controlled	Percentage of members 18-75 years of age with diabetes who had HbA1c control ( $\leq 9.0\%$ ) based on LAST documented measurement of the year.	80%	87%
<b>MAD (3)</b>	Medication Adherence for Diabetes Medication	Percentage of members 18 years of age or older with at least 2+ prescription fill for diabetes medication (excluding insulin) who fill their prescription often enough to cover having diabetes medication(s) on hand at least 80% of the time during the measurement period.	84%	88%
<b>MAH (3)</b>	Medication Adherence for Hypertension (RAS antagonists)	Percentage of members 18 years of age or older with at least 2+ prescription fills for RAS Antagonist who fill often enough to cover having their blood pressure medication on hand often enough to cover at least 80% of the time during the measurement period.	86%	89%
<b>MAC (3)</b>	Medication Adherence for Cholesterol (Statins)	Percentage of members 18 years of age or older with at least 2+ prescription fills for Statin medication who fill often enough to cover having their Statin medication on hand often enough to cover at least 80% of the time during the measurement period.	85%	89%
<b>SPC (1)</b>	Statin Therapy for Patients with Cardiovascular Disease (SPC)	Percentage of males 21-75 years of age and females 40-75 years of age who were identified as having atherosclerotic cardiovascular disease (ASCVD) AND were dispensed at least one high or moderate intensity statin.	84%	88%
<b>SUPD (3)</b>	Statin Use in Persons with Diabetes	Percentage of members 40-75 years of age who were dispensed at least two diabetes medication fills AND who received at least one fill of a statin medication in the measurement period.	76%	82%